





Convenient Traffic

Plant door is connected with expressway directly.

-  Railway
-  Expressway
-  National Road
-  Waterway



 **江西银杉白水泥股份有限公司**
JIANGXI YINSHAN WHITE CEMENT CO., LTD.

Nanchang Sales Office:
Address: No.589 Gaoxin Road, National science park of Nanchang University Nanchang, Jiangxi, China
ZIP Code: 330000
Tel / wechat/whatsapp: +86 13699511180
Fax: 0791-88511882

Production Base: Factories in Anfu County, Ji'an City
Address: Zhengxing Avenue, Industrial Park, Anfu County, Ji'an City, Jiangxi Province
ZIP Code: 343200
Tel / wechat / whatsapp: +86 13699511180
Fax: 0791-88511882

Email: ybsn123@163.com
Website: <http://www.yswitecement.com>



Efforts to build the first brand white cement
The perfect white cement

江西银杉白水泥股份有限公司
JIANGXI YINSHAN WHITE CEMENT CO., LTD.



圣德翰
SHENG DE HAN
Grade 52.5



圣德翰
SHENG DE HAN
Grade 42.5





银杉
YINSHAN
Grade 32.5

公司简介 Company profile

Jiangxi Yinshan White Cement Co., Ltd. is the largest modern white cements manufacturer in China, which adopts worldwide advanced white cement patent technologies. Yinshan company is specialized in high whiteness, high strength, excellent fineness and low alkalinity P.W-1 52.5 grade, P.W-1 42.5 grade and P.W-1 32.5 grade white cement and clinker.

At present, the company is equipped with two modern new dry white cement production line with yearly output as 800,000 tons, with advanced homogenization system to maintenance quality stable and with advanced packing equipment German HAVER.

Yinshan White Cement is committed to providing the finest quality and highest whiteness along with world-class customer service at competitive rates to all of our customers. Our cooperative enterprises have Nippon paint, Mapei, Sika Davco, Saint-Gobain Weber, USA royal white, SKK etc.



Offer super white cement of 52.5 grade, 42.5 grade and 32.5 grade

Production and Sales Points of Yinshan White

White Cement of Gade 52.5

White cement of P.W 52.5 branded as Sheng De Han (SDH). It can meet user's requirements of color, early strength and degree of fineness on white cement, it also can meet user's requirements on strength, whiteness and consistency.

Brand	Sheng De Han
Category	P. W. 52.5
Fineness (specific area)	420 m ² /kg
Bulk Density	1300 kg/m ³
Density	3100 kg/m ³
Normal Consistency	27 %
Initial Set	150 minutes

Main Applications

- SDH white cement is specially suitable for concrete manufacturing and prefabrication, GRC products, adhesive and etc;
- SDH white cement is generally applied for colored pavers, water permeable brick, cultured stone, handiwork sculpture, terrazzo, wear-resisting floor, putty and etc;
- SDH white cement is equipped with high light reflection property, which enables the curb-stone, road sign, central divide of road made with it to have higher traffic security performance.

Packing Specifications

Paper-plastic compound bag for 40kg and 50kg, jumbo bag for 1000kg and 1200kg



Storage

The product should be in dry, shady and well-ventilated area. Indoor storage is recommended. Moisture-proof work should be done well. The product can be stored for 3 months.



Key Technical Indexes

Index Name	Internal Control Index			GB/T2015-2017 Standards	
	1 days	3 days	28 days	3 days	28 days
Intensity					
Flexural strength, Mpa	5.0	7.0	10.0	4.0	7.0
Compressive strength, Mpa	25.0	40.0	60.0	22.0	52.5
Fineness 45um, %	≤ 3.0			≤ 30	
Initial setting time	150 minutes			No earlier than 45 minutes	
Final setting time	180 minutes			No later than 10 hours	
Whiteness (Hunter Value)	≥ 90.0			Minimum 87	

White Cement of Gade 42.5

Product Features

White cement of P.W Grade 42.5 branded as Sheng De Han (SDH) is early strength cement without radio-activity and environmental protection, whose whiteness and intensity high, alkali content is low, anti-atmosphere stability is sound, color and luster is bright.

Main Applications


- SDH white cement is specially suitable for concrete manufacturing and prefabrication, bare concrete, GRC products, adhesive and etc;
- SDH white cement is generally applied for colored pavers, water permeable brick, cultured stone, handiwork sculpture, terrazzo, wearresisting floor and Etc;
- SDH white cement is equipped with high light reflection property, which enables the curbstone, road sign, central divide of road made with it to have higher traffic security performance.

Packing Specifications



Storage

The product should be in dry, shady and well-ventilated area. Indoor storage is recommended. Moisture-proof work should be done well. The product can be stored for 3 months.



Key Technical Indexes

Index Name	Internal Control Index			GB/T2015-2017 Standards	
	1 days	3 days	28 days	3 days	28 days
Intensity					
Flexural strength, Mpa	4.0	5.5	8.0	3.5	6.5
Compressive strength, Mpa	18.0	30.0	48.0	17.0	42.5
Fineness 45um, %	≤ 4.0			≤ 30	
Initial setting time	180 minutes			No earlier than 45 minutes	
Final setting time	220 minutes			No later than 10 hours	
Whiteness (Hunter Value)	≥ 89.0			Minimum 87	

White Cement of Gade 32.5

Product Features

White cement of P.W Grade 32.5 branded as Yinshan is an universal type without radioactivity and environmental protection, with high whiteness, high intensity, low alkali content and stable performance. It can able to satisfy customers' requirements for whiteness, intensity, fineness and stability.

The quality of white cement of P.W grade 32.5 is far higher than quantity index requirements in national standard GB/T2015-2017.

Storage

The product should be in dry, shady and well-ventilated area. Indoor storage is recommended. Moisture-proof work should be done well. The product can be stored for 3 months.

Main Applications

White cement of P.W Grade 32.5 branded as Yinshan is widely applied for terrazzo flooring, colored cement and pavers, permeable bricks, cement products, culture stone, sculptures, putty and new building materials.

Yinshan white cement is equipped with a lot of special performance. Therefore, it manages to exert sound decorative effect on those buildings as commercial buildings, residence, hotels or office buildings.

Packing Specifications

50kg, 40kg, 25kg/1200kg jumbo bag



Loading pictures



Key Technical Indexes

Index Name	Internal Control Index		GB/T 2015-2017 Standards	
	3 days	28 days	3 days	28 days
Intensity	3 days	28 days	3 days	28 days
Flexural strength, Mpa	4.5	7.2	3.0	6.0
Compressive strength, Mpa	24.0	38.0	12.0	32.5
Fineness 45um, %	≤ 4.0		≤ 30	
Initial setting time	200 minutes		No earlier than 45 minutes	
Final setting time	240 minutes		No later than 10 hours	
whiteness	≥ 89		Minimum 87	

Our Exhibitions

Yinshan White Cement has attended many first-class fairs in domestic and worldwide, like MOSBUILD in Russia, WORLDBEX in Phillipine, Mortar Exhibition in Shanghai etc. Thus we could get the first information of this line and also it is a way to keep tight contact with our customers, we could fast respond to their requirements and questions by Face-to-Face communication.



MOSBUILD IN RUSSIA



WORLDBEX IN PHILLIPPINE



MORTAR EXHIBITION IN SHANGHAI

To cooperate with our customers to use Yinshan white cement more effectively, we organize professional teams in particular and combine advanced scientific payoffs in domestic and overseas to offer technical solution to customers, improve product quality and realize the win-win result

There are a batch of applicant specialists of white cement in Sheng De Han (China) White Cement Applied Technology Center:

- | | |
|---|----------------|
| 1. Director of state key laboratory of high performance civil engineering materials,
Academician of the Chinese Academy of Engineering | Miao Changwen |
| 2. Internationally well-known expert in white cement and application | Huang shaowen |
| 3. International famous white cement application expert | She Wei |
| 4. International famous expansive agent expert | Zhang Yunsheng |
| 5. China white cement application, artificial inorganic stone,UHPC expert | Zhu Jie |
| 6. Chinese top-level GRC technical expert | Dr. Chen |
| 7. Self-leveling technical expert | Zeng Min |

Post-doctoral Workstation:
Key laboratory of decoration materials

Academician Workstation:

Miao Changwen is famous as academician of Chinese academy engineering,southeast university's Professor and Chairman of Jiangsu building science research institute.He has been engaged in the theoretical research of civil engineering materials and application of engineering technology for long time, and has been active in China' s major construction projects for more than 20 years. He has made many achievements in the research on key technology of concrete anti-cracking,improving the service life and durability of major infrastructure projects and the research of multi-functional civil engineering materials.




Our Projects

Yinshan white cement is assigned the only white cement supplier in many famous projects. Such as Main Center of Nanjing Youth Olympic Games,Xie Zilong Museum of Art and Shanghai Disneyland



● Main Center Of Nanjing Youth Olympic Games (Apply Yinshan White Cement)



● Changsha Xie Zilong Museum of Art (Apply Yinshan White Cement)



● Disneyland Of Shanghai (Apply Yinshan White Cement)

Energy Conservation, Environmental Protection, Technical Innovation

Enterprise Features

- Powerful management team;
- Possessing the top-quality raw materials of white cement in domestic;
- Possessing internationally advanced technology for white cement manufacturing;
- Possessing a large-scale and modern dry white cement production line with waste heat power generation.



▲ Master control room



▲ Advanced homogenization system for raw materials



▲ Quality control and R&D center



▲ Advanced German packing equipment

Sustainable Development

Yinshan White Cement attaches importance to energy saving and consumption reducing during the process of white cement manufacturing as well as its influence on working conditions and surrounding environment. Yinshan has managed to establish a perfect system for environmental protection and energy conservation to ensure a sustainable development.

Advanced White Cement Manufacturing Technique

Yinshan White Cement is possessed with the most advanced white cement manufacturing technique, which enables its products to reach the supreme standard internationally.

Incessant Research and Development

With regard to the performance and usage of white cement, Yinshan White Cement lays emphasis on the requirements of users specially. This company is engaged in the unceasing research and development of white cement, and spares no effort to improve its quality and performance.

Quality Management and ISO Standard Quality Management System

Yinshan White Cement faithfully implement the ISO9000 quality certification system from raw materials to the manufacturing process and final leave of factory to ensure product quality.



Transportation

Located at North Industrial Park, Anfu County, Jiangxi Province, this company is possessed with favorable geography conditions and convenient transportation;

Highway: Abut in G45 Daguang express way and only agKm to Anfu exit of Daguang express way; interflow between Anfu Samples and documents delivery by DHL,TNT,FEDEX and SF-EXPRESS,etc and Gan-Yue expressway has been realized; it takes no more than 8 hours to reach such provinces as Jiangsu, Zhejiang, Shanghai, Fujian, Anhui, Guangdong, Hunan and Hubei; Highway:It takes no more than 8 hours to reach such provinces as Jiangsu, Zhejiang, Shanghai, Fujian, Anhui, Guangdong, Hunan and Hubei;

Railway: 3 Km to Anfu Station on the Y-track connecting with Near Jinggangshan Airport and Nanchang Airport;

Railway:Government establish railway stations near Yinshan factory,which available to XIAMEN,JIUJIANG,NINGBO and SHENZHEN port ;

Waterway: Near Nanchang and Jiujiang Port of the Yangtze River. It can directly to SHANGHAI port through the Yangtze River.

